



## Messmer's Wood and Deck StainStripper

**MESSMER'S WOOD AND DECK STAINSTRIPPER** is a ready to use solution designed to remove semitransparent stains, wood sealers and coatings from exterior wood. StainStripper dissolves and removes most wood stains and finishes.

## SPECIFICATIONS

PRODUCT TYPE	INSTRUCTIONS
Waterborne, contains Potassium Hydroxide and surfactants to help remove coatings	Do not dilute. Shake well before using. Spray wood surface with water, then apply StainStripper with synthetic brush or roller. To insure effectiveness of product, keep surface wet with stripper by misting with water.
APPEARANCE	misting with water.
Clear liquid, mild odor	Allow StainStripper to work on surface for approximately 30 minutes. Some areas may require multiple applications or additional time.
VOC CONTENT	
Negligible	
SOLIDS BY VOLUME n/a	<b>RINSING</b> Test small area by scrubbing with a bristle brush to determine if coating is easily removed and surface is ready for rinsing. When ready, scrub surface with a firm bristle brush or long handled push broom. Rinse thoroughly with water using garden hose or pressure washer not exceeding 1000 psi. Rinse any residue from plants.
SOLIDS BY WEIGHT	······································
n/a	
WEIGHT PER GALLON 9.0 to 9.5 pounds	<b>BRIGHTENING</b> Use Messmer's Part B Brightener to brighten the wood and restore pH before coating on wood species that darken after stripping.
COVERAGE 100 to 200 square feet per gallon	THINNING RECOMMENDATIONS Thinning is not recommended, product may be used as supplied.
	CLEANUP
DRY TIME Allow 24 hours in good drying conditions	Clean tools and brushes with water.
APPLY WITH Synthetic brush or roller	<b>PRECAUTIONS</b> Deck surface may become slippery, use caution. Apply product at temperatures between 50F and 90F. Avoid applying in direct sunlight. Protect any aluminum surfaces such as window frames.
PACKAGING Gallon and Five Gallon containers	Product may damage metal surfaces if left in contact. Rinse thoroughly from glass before product dries. Wet down any surrounding vegetation before and after application to avoid damage to plants.

9500 Hawley Park Road West Jordan UT 84081

(801) 569-2426